
BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, P.U.L. or M.R. 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. 2% MIN STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SPLIT DRAINAGE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ĹANÉ STREET BACK TO FROM ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. BLDG. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. DRAINAGE or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MN STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BLDG BASEMENT WALKOUT PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS 84LXT XRAXNAGE NO RESPONSIBILITY FOR ITS ACCURACY.



WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = _ LOWEST ELEVATION =1031.05	2.27	CIVIC ADDRESS: 2 HARRISON GREEN LOT: 1 BLOCK: 1 PLAN No.: DEVELOPER: RICHARDSONS BROTHERS SCALE: 1:500	_
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT =1 STORM AT 4.0m INSIDE LOT =1	030.20 N/A	DRAWN BY: STANTEC CONSULTING LTD DATE: NOV 18, 2013 APPROVED BY: BARRY MASON DATE: NOV 18, 2013 RECEIVED BY: DATE:	_
DESIGN LANDSCAPE ELEVATIONS I CERTIFY THAT		THE FINAL LANDSCAPE GRADE WILL BE (FRONT)	_

ELEV. AT FRONT OF HOUSE =___ 1033.98 ELEV. AT REAR OF HOUSE =__


(REAR)_ SIGNATURE OF OWNER OR REPRESENTATIVE


Town of Olds
Issued by: No.

1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.

2. STANDING AT THE WATER SHUTOFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.

- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.





POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK LOWEST ELEVATION =1031.13	=2.33
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT = STORM AT 4.0m INSIDE LOT =	1030.28 N/A

CIVIC ADDRES	S:6 HARRISON GREEN	
LOT:2	BLOCK:1 PLAN	No.:
DEVELOPER: _	RICHARDSONS BROTHERS	SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASON	DATE: NOV 18, 2013
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1033.79
ELEV. AT REAR OF HOUSE = 1034.08


Town of Olds
Issued by: No.


1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.

2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.

- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







$\it LEGEND$

— SAN,WATER & STORM

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

EL&P TRANSFORMER

SHAW PEDESTAL

A TELEPHONE PEDESTAL

→ 3 PARTY PEDESTAL

POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK LOWEST ELEVATION =1031.21	=2.24
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT = STORM AT 4.0m INSIDE LOT =	1030.36 N/A

CIVIC ADDRES	S: 10 HARRISON GR	REEN
LOT:3	BLOCK:1 Pl	_AN No <u>.</u> :
DEVELOPER: _	RICHARDSONS BROTHERS	SSCALE:1:500
DRAWN BY:	STANTEC CONSULTING LT	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASON	DATE: NOV 18, 2013
RECEIVED BY:		DATE:


DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1033.79
ELEV. AT REAR OF HOUSE = 1034.18


Town of Olds
Issued by: No.


1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.

2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.

- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







$\it LEGEND$

— SAN,WATER & STORM

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

EL&P TRANSFORMER

SHAW PEDESTAL

A TELEPHONE PEDESTAL

● 3 PARTY PEDESTAL

POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.


TOP OF FOOTING:	
MAX. DEPTH BELOW AVERAGE SIDEWA	ALK = 2.11
LOWEST ELEVATION =1031.29	
	_
AS-BUILT SEWER INVERT FLEVATIONS:	
HO-DOILL SEMEK THACKL EFFAULTHINS:	
SANITARY AT 4.0m INSIDE LOT =	1030.44
STORM AT 4.0m INSIDE LOT =	N/A

CIVIC ADDRES	S: 14 HARRISON	GREEN	
LOT:4	BLOCK:1	PLAN	No.:
DEVELOPER:	RICHARDSONS BROTH	HERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING	; LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASON	l	DATE: NOV 18, 2013
RECEIVED BY:			_DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1033.70
ELEV. AT REAR OF HOUSE = 1034.28


Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTOFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.









POWER, TELEPHONE & CABLE SERVICE
STREET LIGHT

FIRE HYDRANT

-G- GAS

LEGEND — SAN,WATER & STORM

COMMUNITY MAILBOX

TRANSFORMER

EL&P TRANSFORMER

SHAW PEDESTAL

A TELEPHONE PEDESTAL

3 PARTY PEDESTAL

POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWAL LOWEST ELEVATION =1031.42	LK =2.01
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT = STORM AT 4.0m INSIDE LOT =	1030.57 N/A

CIVIC ADDRES:	S:18 HARRISC	N GREEN	
LOT:5	BLOCK:1	PLAN	No
DEVELOPER:	RICHARDSONS BRC	THERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTI	NG LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MAS	NC	DATE: NOV 18, 2013
RECEIVED BY:			DATE:


DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1033.75
ELEV. AT REAR OF HOUSE = 1034.38


Town of Olds
Issued by: No.

1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.


2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.

- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.









LEGEND

SAN, WATER & STORM

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

EL&P TRANSFORMER

SHAW PEDESTAL

A TELEPHONE PEDESTAL

3 PARTY PEDESTAL

POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING:	
MAX. DEPTH BELOW AVERAGE SIDEWA	ALK = 2.00
LOWEST ELEVATION =1031.51	_
AS-BUILT SEWER INVERT ELEVATIONS:	
SANITARY AT 4.0m INSIDE LOT =	1030.66
STORM AT 4.0m INSIDE LOT =	N/A

CIVIC ADDRES:	S: 22 HARRISON	I GREEN	
LOT:6	BLOCK:1	_ PLAN	No <u>.</u> :
DEVELOPER:	RICHARDSONS BROT	HERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTIN	G LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASO	N	DATE: NOV 18, 2013
RECEIVED BY:			DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1033.87
ELEV. AT REAR OF HOUSE = 1034.48


Town of Olds
Issued by: No.

1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.


2. STANDING AT THE WATER SHUTOFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.

- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.









LEGEND

— SAN,WATER & STORM

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

EL&P TRANSFORMER

SHAW PEDESTAL

A TELEPHONE PEDESTAL

3 PARTY PEDESTAL

POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING:	
MAX. DEPTH BELOW AVERAGE SIDEW	ALK = 2.04
LOWEST ELEVATION =1031.59	_
AS-BUILT SEWER INVERT ELEVATIONS	ı
SANITARY AT 4.0m INSIDE LOT =	1030.74
STORM AT 4.0m INSIDE LOT =	N/A


CIVIC ADDRES	S: 26 HARRISON	GREEN	
LOT:7	BLOCK:1	PLAN	No.:
DEVELOPER: _	RICHARDSONS BROTH	IERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING	LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASON		DATE: NOV 18, 2013
RECEIVED BY:			_DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1033.99
ELEV. AT REAR OF HOUSE = 1034.58

Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTOFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.









— SAN,WATER & STORM

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

LEGEND

STREET LIGHT

COMMUNITY MAILBOX


TRANSFORMER

EL&P TRANSFORMER

SHAW PEDESTAL

▲ TELEPHONE PEDESTAL

3 PARTY PEDESTAL



POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK LOWEST ELEVATION =1031.67	=2.08
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT = STORM AT 4.0m INSIDE LOT =	1030.82 N/A

CIVIC ADDRES	S: 30 HARRISON GREEN	1
LOT:8	BLOCK:1 PLAN	l No <u>.</u> :
DEVELOPER: _	RICHARDSONS BROTHERS	SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASON	DATE: NOV 18, 2013
RECEIVED BY:		DATE:


DESIGN LANDSCAPE ELEVATIONS


ELEV. AT FRONT OF HOUSE = 1034.11

ELEV. AT REAR OF HOUSE = 1034.68


Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTOFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.









LEGEND

— SAN,WATER & STORM

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

EL&P TRANSFORMER

SHAW PEDESTAL

▲ TELEPHONE PEDESTAL


3 PARTY PEDESTAL

POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION = 1032.77	ALK = <u>1.09</u>
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT =	1031.92
STORM AT 4.0m INSIDE LOT =	N/A


CIVIC ADDRES:	S: 34 HARRISON	GREEN	
LOT:9	BLOCK:1	PLAN	No.:
DEVELOPER:	RICHARDSONS BROTH	HERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING	; LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASON	l	DATE: NOV 18, 2013
RECEIVED BY:			DATE:


DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.21
ELEV. AT REAR OF HOUSE = 1034.78



Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTOFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.





POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.


TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.09 LOWEST ELEVATION = 1031.92	
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT = 1031.07 STORM AT 4.0m INSIDE LOT = N/A	

CIVIC ADDRES:	S: 42 HARRISON GREEN	
LOT: 12	BLOCK:1 PLAN	No.:
DEVELOPER:	RICHARDSONS BROTHERS	SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASON	DATE: NOV 18, 2013
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.33
ELEV. AT REAR OF HOUSE = 1035.15

Town of Olds **BUILDING GRADE CERTIFICATE** Issued by: LANE, P.L. 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. SPĹIT DRÁINÁGE /5% WIN or M.R. SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 2m³ 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE NIN MIN LANE, STREET ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. BLDG. BACK TO FRONT ZY MIN P.U.L. DRAINAGE 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. MIN M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MN STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BLDG BASEMÉNY WALKOUT PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS





POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

3 PARTY PEDESTAL

NO RESPONSIBILITY FOR ITS ACCURACY.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = _ LOWEST ELEVATION =1031.96	2.11	CIVIC ADDRESS: 46 HARRISON GREEN LOT: 13 BLOCK: 1 PLAN DEVELOPER: RICHARDSONS BROTHERS	
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT =1 STORM AT 4.0m INSIDE LOT =	031.11 N/A	DRAWN BY: STANTEC CONSULTING LTD APPROVED BY: BARRY MASON RECEIVED BY:	DATE: NOV 18, 2013 DATE: NOV 18, 2013 DATE:
DESIGN LANDSCAPE ELEVATIONS	I CERTIFY THAT	THE FINAL LANDSCAPE GRADE WILL BE (FROM	IT)

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE = 1034.41

ELEV. AT REAR OF HOUSE = 1034.80

I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT)


(REAR)

SIGNATURE OF OWNER OR REPRESENTATIVE

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, P.L. 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SPĹIT DRÁINÁGE or M.R. SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 2m³ 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE NIN MIN LANE, STREET ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. BLDG. BACK TO FRONT ZY MIN P.U.L. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. DRAINAGE MIN M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MN STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG BASEMENT WALKOUT PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS 89LXT XRAXNAGE



HARRISON GREEN



POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.21 LOWEST ELEVATION = 1032.00	CIVIC ADDRESS: 50 HARRISON GREEN LOT: 14 BLOCK: 1 PLAN	No.:
LUWEST ELEVATION =	DEVELOPER: RICHARDSONS BROTHERS	SCALE:1:500
AS-BUILT SEWER INVERT ELEVATIONS:	DRAWN BY:STANTEC CONSULTING LTD	DATE: NOV 18, 2013
SANITARY AT 4.0m INSIDE LOT = 1031.15	APPROVED BY: BARRY MASON	DATE: NOV 18, 2013
STORM AT 4.0m INSIDE LOT = N/A	RECEIVED BY:	DATE:
DECICAL LANDSCAPE ELEVATIONS I CEDITEV THAT	THE CINAL LANDSCADE CDADE VILL DE (CDON)	T\

DESIGN LANDSCAPE ELEVATIONS 1034.60 ELEV. AT FRONT OF HOUSE =_ 1035.00 ELEV. AT REAR OF HOUSE =_

NO RESPONSIBILITY FOR ITS ACCURACY.

LEGEND SAN, WATER & STORM

POWER, TELEPHONE & CABLE SERVICE

3 PARTY PEDESTAL

FIRE HYDRANT


STREET LIGHT COMMUNITY MAILBOX TRANSFORMER EL&P TRANSFORMER SHAW PEDESTAL

-G- GAS

BUILDING GRADE CERTIFICATE Town of Olds Issued by: 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. ANF Z/ MIN STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. /5% MIN SPLIZ SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 2m³ 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE NIN MIN LANE, STREET ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. BLDG. BACK TO FRONT 2% MIN P.U.L. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. DRAINAGE MIN M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MN STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG BASEMÉNY WALKOUT PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS



89LXT XRAXNAGE




POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.29 LOWEST ELEVATION = 1032.08	CIVIC ADDRESS: 54 HARRISON GREEN LOT: 15 BLOCK: 1 PLAN DEVELOPER: RICHARDSONS BROTHERS	<u> </u>
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT = 1031.23 STORM AT 4.0m INSIDE LOT = N/A	DRAWN BY: STANTEC CONSULTING LTD APPROVED BY: BARRY MASON RECEIVED BY:	DATE: NOV 18, 2013 DATE: NOV 18, 2013 DATE:
DECICAL LANDSCADE ELEVATIONS I CEDITEVITUAT	THE EINAL LANDSCADE CDADE VILL DE ZEDON	T\

DESIGN LANDSCAPE ELEVATIONS 1034.73 ELEV. AT FRONT OF HOUSE =_ 1035.13 ELEV. AT REAR OF HOUSE =_

NO RESPONSIBILITY FOR ITS ACCURACY.

BUILDING GRADE CERTIFICATE Town of Olds Issued by: 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. LANE, P.U.L. or M.R. 2% MIN STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SPLIT DRAINAGE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE Z'/ MIN ANÉ STREÉT. BACK IN FROM ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. BLDG. DRAINAGE 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MW STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BLDG BASEMENT WALKOUT PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS SPLYT JORAHNAGE NO RESPONSIBILITY FOR ITS ACCURACY. 1032.83 44.20 88 o. 1032.89



POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.


TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = LOWEST ELEVATION =1031.80	1.91	CIVIC ADDRESS: 91 HARRISON GREEN LOT: 24 BLOCK: 1 PLAN No.: DEVELOPER: RICHARDSONS BROTHERS SCALE: 1:500	
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT =1 STORM AT 4.0m INSIDE LOT =	030.95 N/A	DRAWN BY: STANTEC CONSULTING LTD DATE: NOV 18, 20 APPROVED BY: BARRY MASON DATE: NOV 18, 20 RECEIVED BY: DATE:	
DESIGN LANDSCAPE ELEVATIONS	I CERTIFY THAT	THE FINAL LANDSCAPE GRADE WILL BE (FRONT)	

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.03
ELEV. AT REAR OF HOUSE = 1033.25

I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) (REAR) (REAR) (REAR)

BUILDING GRADE CERTIFICATE Town of Olds Issued by: 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. ANF MIN STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE /5% MIN BLDG. SPLIZ SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 2m³ 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE NIN LANE, STREET ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. BLDG. BACK TO FRONT 2% MIN P.U.L. DRAINAGE 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. MIN M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MN STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG BASEMÉNY WALKOUT PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS 89LXT XRAXNAGE





POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK =2.32 LOWEST ELEVATION =1032.19	CIVIC ADDRESS: 58 HARRISON GREEN LOT: 16 BLOCK: 1 PLAN DEVELOPER: RICHARDSONS BROTHERS	<u> </u>
	DEVELUEER: NICHARDSONS BROTHERS	_ 3CHLL,
AS-BUILT SEWER INVERT ELEVATIONS:	DRAWN BY: STANTEC CONSULTING LTD	DATE: NOV 18, 2013
SANITARY AT 4.0m INSIDE LOT = 1031.34	APPROVED BY: BARRY MASON	DATE: NOV 18, 2013
STORM AT 4.0m INSIDE LOT = N/A	RECEIVED BY:	DATE:
DESIGN LANDSCAPE ELEVATIONS I CEPTIEV THAT	THE FINAL LANDSCAPE GRADE WILL BE (FROM	

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.89
ELEV. AT REAR OF HOUSE = 1035.24


3 PARTY PEDESTAL


NO RESPONSIBILITY FOR ITS ACCURACY.

I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) (REAR) (REAR) (REAR) (REAR)

Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.





POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK LOWEST ELEVATION =1032.34	= 2.27
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT = STORM AT 4.0m INSIDE LOT =	1031.49 N/A

CIVIC ADDRES	S: 62 HARRISON GRE	EN
LOT:17	BLOCK:1 PLA	AN No.:
DEVELOPER: _	RICHARDSONS BROTHERS	SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASON	DATE: NOV 18, 2013
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.92
ELEV. AT REAR OF HOUSE = 1035.24


BUILDING GRADE CERTIFICATE Town of Issued by: Town of Olds LANE, P.L. P.U.L. or M.R. 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. STREET SPLIT DRAINAGE 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE BACK IN FROM STREET, BLDG. ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. DRAINAGE 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MW STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG. /basement walkout PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS SPLYT JORAHNAGE NO RESPONSIBILITY FOR ITS ACCURACY. 22.33 26 24 LEGEND — SAN,WATER & STORM FIRE HYDRANT -G- GAS SAN & POWER, TELEPHONE & CABLE SERVICE **WATER** STREET LIGHT COMMUNITY MAILBOX TRANSFORMER EL&P TRANSFORMER -1.50m BLVD SHAW PEDESTAL -1.50m RLLD MONOWALK ▲ TELEPHONE PEDESTAL HARRISON GREEN 3 PARTY PEDESTAL POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 95 HARRISON GREEN TOP OF FOOTING: LOT: ___25 ___ BLOCK: ___1 ___ PLAN No.: MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.98 LOWEST ELEVATION = 1031.64 DEVELOPER: RICHARDSONS BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: NOV 18, 2013 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: NOV 18, 2013 SANITARY AT 4.0m INSIDE LOT = 1030.79


SANITARY AT 4.0m INSIDE LOT = 1030.79 | HITROVED BT | DARKT MASON | DATE: |

DESIGN LANDSCAPE ELEVATIONS | I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) |
ELEV. AT FRONT OF HOUSE = 1033.98 | SIGNATURE OF OWNER OR REPRESENTATIVE |

Town of Olds Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTOFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.





POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION =1032.50	LK = <u>2.05</u>
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT = STORM AT 4.0m INSIDE LOT =	1031.65 N/A

CIVIC ADDRES	S: <u>67</u>	HARRISON	GREEN	
LOT:18	BLOCK: _	1	PLAN	No.:
DEVELOPER:	RICHARDS	ONS BROTH	IERS	_SCALE:1:500
DRAWN BY:	STANTEC C	ONSULTING	LTD	DATE: NOV 18, 2013
APPROVED BY:	BAF	RRY MASON		DATE: NOV 18, 2013
RECEIVED BY:				_DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.92
ELEV. AT REAR OF HOUSE = 1034.11

BUILDING GRADE CERTIFICATE Town of Issued by: Town of Olds LANE, P.L. P.U.L. or M.R. 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. STREET SPLIT DRAINAGE 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE STREET, BACK TO FROM ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. DRAINAGE 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MW STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG. /basement walkout PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS SPLYT JORAHNAGE NO RESPONSIBILITY FOR ITS ACCURACY. 20 HARRISON GREEN 7.56 -SAN & 19 WATER LEGEND 5 40 — SAN,WATER & STORM FIRE HYDRANT 1.50m RLLD MONOWALK -G- GAS 1.50m BLVD -** POWER, TELEPHONE & CABLE SERVICE - *1033.57* 38.01 STREET LIGHT COMMUNITY MAILBOX TRANSFORMER 18 EL&P TRANSFORMER SHAW PEDESTAL ▲ TELEPHONE PEDESTAL 3 PARTY PEDESTAL POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 71 HARRISON GREEN TOP OF FOOTING: LOT: ___19 ___ BLOCK: ___1 ___ PLAN No.: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.28 LOWEST ELEVATION = 1032.08 DEVELOPER: RICHARDSONS BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: NOV 18, 2013 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: NOV 18, 2013 SANITARY AT 4.0m INSIDE LOT = 1031.23 STORM AT 4.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE = 1034.77

ELEV. AT REAR OF HOUSE = 1033.91

SIGNATURE OF OWNER OR REPRESENTATIVE

Town of Olds BUILDING GRADE CERTIFICATE Issued by: LANE, P.L. P.U.L. or ... 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. STREET SPLIT DRAINAGE 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE BACK IN FROM 8TREÉT/ BLDG. ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. DRAINAGE 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MW STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG. /basement walkout PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS XPLXT XRAXNAGE NO RESPONSIBILITY FOR ITS ACCURACY. 16.61 25 27 26 39 LEGEND — SAN,WATER & STORM FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE SAN & WATER STREET LIGHT COMMUNITY MAILBOX TRANSFORMER 12.78 EL&P TRANSFORMER -1.50m BLVD SHAW PEDESTAL -1.50m RLLD MONOWALK ▲ TELEPHONE PEDESTAL HARRISON GREEN 3 PARTY PEDESTAL POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 99 HARRISON GREEN TOP OF FOOTING: LOT: ___26 ___ BLOCK: ___1 ___ PLAN No.: MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.99 LOWEST ELEVATION = 1031.53 DEVELOPER: RICHARDSONS BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: NOV 18, 2013 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: NOV 18, 2013 SANITARY AT 4.0m INSIDE LOT = 1030.68

RECEIVED BY: I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) DESIGN LANDSCAPE ELEVATIONS 1033.86 ELEV. AT FRONT OF HOUSE =___ (REAR)_ ELEV. AT REAR OF HOUSE = 1033.91 SIGNATURE OF OWNER OR REPRESENTATIVE

DATE:

N/A

STORM AT 4.0m INSIDE LOT =

BUILDING GRADE CERTIFICATE Town of Issued by: Town of Olds LANE, P.L. P.U.L. or ... 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. STREET SPLIT DRAINAGE 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE STREET, BACK IN FROM ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. DRAINAGE 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MW STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG. /basement walkout PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS SPLYT JORAHNAGE NO RESPONSIBILITY FOR ITS ACCURACY. 1033.34 08 GREEN 20 .85 .06 LEGEND SAN & — SAN,WATER & STORM 1.50m RLLD MONOWALK -WATER 1.50m BLVD -FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE STREET LIGHT COMMUNITY MAILBOX TRANSFORMER 19 EL&P TRANSFORMER SHAW PEDESTAL ▲ TELEPHONE PEDESTAL 3 PARTY PEDESTAL POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 75 HARRISON GREEN TOP OF FOOTING: LOT: ____20 ____ BLOCK: ___1 ___ PLAN No.: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.18 LOWEST ELEVATION = 1031.98 DEVELOPER: RICHARDSONS BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: NOV 18, 2013 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: NOV 18, 2013 SANITARY AT 4.0m INSIDE LOT = 1031.13 STORM AT 4.0m INSIDE LOT = N/A RECEIVED BY: DATE: I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) DESIGN LANDSCAPE ELEVATIONS 1034.54 ELEV. AT FRONT OF HOUSE =__ (REAR)_ 1033.80 ELEV. AT REAR OF HOUSE =___ SIGNATURE OF OWNER OR REPRESENTATIVE


BUILDING GRADE CERTIFICATE Town of Issued by: Town of Olds LANE, P.L. P.U.L. or ... 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. STREET SPLIT DRAINAGE 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE BACK IN FROM STREET, ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. DRAMAGE 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MW STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG. /basement walkout PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS SPLYT JORAHNAGE NO RESPONSIBILITY FOR ITS ACCURACY. HARRISON 33.92 40.00 -1033.23 GREEN -SAN & WATER LEGEND — SAN,WATER & STORM 1.50m RLLD MONOWALK -1.50m BLVD -FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE STREET LIGHT COMMUNITY MAILBOX TRANSFORMER 20 EL&P TRANSFORMER SHAW PEDESTAL ▲ TELEPHONE PEDESTAL 3 PARTY PEDESTAL POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 79 HARRISON GREEN TOP OF FOOTING: LOT: 21 BLOCK: 1 PLAN No.: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.11 LOWEST ELEVATION = 1031.89 DEVELOPER: RICHARDSONS BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: NOV 18, 2013 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: NOV 18, 2013 SANITARY AT 4.0m INSIDE LOT = 1031.04 STORM AT 4.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.38
ELEV. AT REAR OF HOUSE = 1033.68

I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) (REAR) (REAR) (REAR)

Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTOFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE.
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







LEGEND

— SAN,WATER & STORM

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX


TRANSFORMER

EL&P TRANSFORMER

SHAW PEDESTAL

▲ TELEPHONE PEDESTAL

3 PARTY PEDESTAL



HARRISON GREEN

POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION =1031.46	ALK =1.96
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 4.0m INSIDE LOT = STORM AT 4.0m INSIDE LOT =	1030.61 N/A

CIVIC ADDRES	S:103 HARRISON GREEN	
LOT:27	BLOCK:1 PLAN	No.:
DEVELOPER:	RICHARDSONS BROTHERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: NOV 18, 2013
APPROVED BY:	BARRY MASON	DATE: NOV 18, 2013
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1033.77
ELEV. AT REAR OF HOUSE = 1033.91

BUILDING GRADE CERTIFICATE Town of Issued by: Town of Olds LANE, P.L. P.U.L. or ... 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. STREET SPLIT DRAINAGE 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE BACK IN FROM STREET, ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. DRAINAGE 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MW STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG. /basement walkout PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS SPLYT JORAHNAGE NO RESPONSIBILITY FOR ITS ACCURACY. 1033.12 HARRISON 22 SAN & LEGEND WATER — SAN,WATER & STORM 1033.89 FIRE HYDRANT 1.50m RLLD MONOWALK --G- GAS 1.50m BLVD ** POWER, TELEPHONE & CABLE SERVICE STREET LIGHT COMMUNITY MAILBOX TRANSFORMER 21 EL&P TRANSFORMER SHAW PEDESTAL ▲ TELEPHONE PEDESTAL 3 PARTY PEDESTAL POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 83 HARRISON GREEN TOP OF FOOTING: LOT: ___22 ___ BLOCK: ___1 __ PLAN No.: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.06 LOWEST ELEVATION = 1031.81 DEVELOPER: RICHARDSONS BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: NOV 18, 2013 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: NOV 18, 2013 SANITARY AT 4.0m INSIDE LOT = 1030.96 STORM AT 4.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.22
ELEV. AT REAR OF HOUSE = 1033.57

Town of Olds BUILDING GRADE CERTIFICATE Issued by: LANE, P.L. P.U.L. or ... 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. STREET SPLIT DRAINAGE 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLDG. 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE: STORM SERVICE (PAINTED GREEN) IS ON THE RIGHT SIDE OF THE WATER SERVICE. 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE BACK IN FROM 8TREÉT/ BLDG. ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. DRAINAGE 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. MW STREET 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A BL DG. /basement walkout PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS SPLYT JORAHNAGE NO RESPONSIBILITY FOR ITS ACCURACY. ∞; 1033.00 LEGEND SAN & — SAN,WATER & STORM **WATER** FIRE HYDRANT 22. -G- GAS HARRISON GREEN ** POWER, TELEPHONE & CABLE SERVICE STREET LIGHT 1.50m RLLD MONOWALK -COMMUNITY MAILBOX 1.50m BLVD -TRANSFORMER EL&P TRANSFORMER SHAW PEDESTAL ▲ TELEPHONE PEDESTAL 22 3 PARTY PEDESTAL POWER SERVICE LOCATION IS 4.5m FROM SIDEYARD LOTLINE WATER & SANITARY LOCATION IS 4.5m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 87 HARRISON GREEN TOP OF FOOTING: LOT: ___23 ___ BLOCK: ___1 ___ PLAN No.: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.50 LOWEST ELEVATION = 1031.26 DEVELOPER: RICHARDSONS BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: NOV 18, 2013 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: NOV 18, 2013 SANITARY AT 4.0m INSIDE LOT = 1030.96 STORM AT 4.0m INSIDE LOT = N/A RECEIVED BY: DATE: I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) DESIGN LANDSCAPE ELEVATIONS 1034.09 ELEV. AT FRONT OF HOUSE =__ (REAR)_ 1033.46 ELEV. AT REAR OF HOUSE =___ SIGNATURE OF OWNER OR REPRESENTATIVE