

Town of Olds
Issued by: No.

- . WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.


TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK LOWEST ELEVATION = 1030.61	=	1.76	
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =		1029.76 N/A	
		1	

CIVIC ADDRESS	S: 3 KEOWN CLOSE	
LOT:33	BLOCK:4 PLAN	No <u>: 141 3182</u>
DEVELOPER:	RICHARDSON BROTHERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:


DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1033.02
ELEV. AT REAR OF HOUSE =	1031.96

Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.


TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.17 LOWEST ELEVATION = 1030.67	_
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = 1029.82 STORM AT 5.0m INSIDE LOT = N/A	-

CIVIC ADDRESS	S: 5 KEOWN CLOS	E
LOT:34	BLOCK:4 PL	AN No <u>: 141 3182</u>
DEVELOPER:	RICHARDSON BROTHERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTING LT	D DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:


DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1033.12
ELEV. AT REAR OF HOUSE =	1032.12

Town of Olds
Issued by: No.

- . WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.


TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK LOWEST ELEVATION = 1030.81	= 2.13
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1029.96 N/A

CIVIC ADDRES:	S: 7 KEOWN	CLOSE	
LOT:35	BLOCK:4	_ PLAN	No <u>.: 141 3182</u>
DEVELOPER:	RICHARDSON BROTI	HERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTIN	IG LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASC	N	DATE: FEB 3, 2015
RECEIVED BY:			DATE:


DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1033.22
ELEV. AT REAR OF HOUSE =	1032.56

Town of Olds Issued by:

- WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWAL LOWEST ELEVATION =1030.86	_K =2.24
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1030.01 N/A

CIVIC ADDRESS	9 KEOWN CLOSE	
LOT:36	BLOCK:4 PLAN	No <u>.: 141 3182 </u>
DEVELOPER:	RICHARDSON BROTHERS	SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
FLEV. AT FRONT OF HOUSE =	1033.43
ELEV. AT REAR OF HOUSE =	1032.44

LEGEND – SANITARY & WATER

FIRE HYDRANT


STREET LIGHT

TRANSFORMER PEDESTAL DRIVEWAY


-G- GAS

Town of Olds Issued by: No.

- . WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







LEGEND

— SANITARY & WATER



-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

PEDESTAL

☐> DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING:

MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.28

LOWEST ELEVATION = 1030.98

AS-BUILT SEWER INVERT ELEVATIONS:

SANITARY AT 5.0m INSIDE LOT = 1030.13


STORM AT 5.0m INSIDE LOT = N/A


CIVIC ADDRESS	S: 11 KEOWN CLOSE	
LOT:37	BLOCK:4 PLAN	No <u>:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1033.52
ELEV. AT REAR OF HOUSE = 1032.57

Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = LOWEST ELEVATION =1031.21	2.18
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1030.36 N/A


CIVIC ADDRESS	S: 13 KEOWN CLOSE	
LOT:39	BLOCK:4 PLAN	No <u>.:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:	·	DATE:


DESIGN LANDSCAPE ELEVATIONS	
FLEV. AT FRONT OF HOUSE =	1033.69
ELEV. AT REAR OF HOUSE =	1032.87

Town of Olds
Issued by: No.

1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES

- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.






GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWAL LOWEST ELEVATION = 1031.21	< = <u>2.27</u>
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1030.36 N/A

CIVIC ADDRESS	S:15 KEOWN CLOSE	
LOT:40	BLOCK:4 PLAN	No <u>.:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1033.73
ELEV. AT REAR OF HOUSE =	1033.37

BUILDING GRADE CERTIFICATE Town of Issued by: Town of Olds WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES. LANE, P.U.L. or M.R. BLDG. 27 MIN STREET SPLIT DRAINAGE 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. XO X ROMT 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ZORAZNAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A EX MIN STREET PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS



CIVIC ADDRESS: 16 KEOWN CLOSE TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.29 LOT: 41 BLOCK: 4 PLAN No.: 141 3182 LOWEST ELEVATION = 1031.21 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1030.36 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS 1033.73 ELEV. AT FRONT OF HOUSE =_ ELEV. AT REAR OF HOUSE = 1034.10

NO RESPONSIBILITY FOR ITS ACCURACY.


I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) (REAR) SIGNATURE OF OWNER OR REPRESENTATIVE


BASEMENT WALKOUT

SPŁIT DRAINAGE

Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.





GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION =1031.21	ALK = <u>2.22</u>
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1030.36 N/A

CIVIC ADDRES:	S: 14 KEOWN CLOSE	
LOT:42	BLOCK: 4 PLAN	No <u>:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1033.61
ELEV. AT REAR OF HOUSE =	1034.61

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 21 MIN BLOG, 22 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A REARYARD PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS MIN STREET BLDG. ZBASEMENT/WALKOUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLIT DRAIWAGE 44 1033.88 31.58 SAN &-WAT **SERVICE** LEGEND — SANITARY & WATER -1.50m RLLD MONOWALK 1034.03 -1.50m BLVD FIRE HYDRANT -G- GAS 3.50m EASEMENT POWER, TELEPHONE & CABLE SERVICE (PLAN 141 3183) T STREET LIGHT COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 12 KEOWN CLOSE TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.17 LOT: 43 BLOCK: 4 PLAN No.: 141 3182 LOWEST ELEVATION = 1031.15 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1030.30 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE =__

ELEV. AT REAR OF HOUSE = 1033.94

1033.60

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 27 MIN BLOG, 27 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A REARYARD PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS MIN STREET ældø. ZBASEMENT/WALKOUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLIT DRAIWAGE - 3.50m EASEMENT (PLAN 141 3183) -1.50m BLVD -1.50m RLLD MONOWALK 45 1033.77 1033.07 6. 44 SAN & WAT **SERVICE** LEGEND 1033.88 — SANITARY & WATER FIRE HYDRANT 4.3 -G- GAS POWER, TELEPHONE & CABLE SERVICE 🍎 STREET LIGHT COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. 10 KEOWN CLOSE CIVIC ADDRESS: TOP OF FOOTING: LOT: <u>44</u> BLOCK: 4 PLAN No.: 141 3182 MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.13 LOWEST ELEVATION = 1031.03 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1030.18 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE =_

ELEV. AT REAR OF HOUSE = 1033.82

1033.46

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 21 MIN BLOG, 22 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A REARYARD PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS MIN STREET ældø. BASÉMENT/WALKBUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLIT DRAIWAGE - 3.50m EASEMENT (PLAN 141 3183) -1.50m BLVD -1.50m RLLD MONOWALK 46 1033.67 35.00 6. 45 SAN & 12.5 WAT **SERVICE** LEGEND 1033.77 — SANITARY & WATER FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE 🍎 STREET LIGHT COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 8 KEOWN CLOSE TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.17 LOT: 45 BLOCK: 4 PLAN No.: 141 3182 LOWEST ELEVATION = 1030.85 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1030.00 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE =__

ELEV. AT REAR OF HOUSE = 1033.69

1033.30

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 21 MIN BLOG, 22 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A REARYARD PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS MIN STREET ældø. BASÉMENT/WALKBUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLIT DRAIWAGE - 3.50m EASEMENT (PLAN 141 3183) -1.50m BLVD -1.50m RLLD MONOWALK 1033.57 35.00 -46 SAN & 16. WAT **SERVICE** LEGEND 1033.67 — SANITARY & WATER FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE 🍎 STREET LIGHT COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 6 KEOWN CLOSE TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.13 LOT: 46 BLOCK: 4 PLAN No.: 141 3182 LOWEST ELEVATION = 1030.79 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1029.94

STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1033.20
ELEV. AT REAR OF HOUSE = 1033.59
SIGNATURE OF OWNER OR REPRESENTATIVE

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 27 MIN BLOG, 27 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A REARYARD PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS MIN STREET ældø. BASÉMENT/WALKBUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLIT DRAIWAGE 3.50m EASEMENT (PLAN 141 3183) -1.50m BLVD -1.50m RLLD MONOWALK 48 1033.47 35.00 47 SAN & 16. WAT **SERVICE** LEGEND 1033.57 — SANITARY & WATER 1032.87 FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE 🍎 STREET LIGHT COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 4 KEOWN CLOSE TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 2.17 LOT: 47 BLOCK: 4 PLAN No.: 141 3182 LOWEST ELEVATION = 1030.65 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1029.80 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:


DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE =__

ELEV. AT REAR OF HOUSE = 1033.49

1033.10

Town of Olds **BUILDING GRADE CERTIFICAT** Issued by: 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES LANE, P.U.L. BLDG, EX MIN STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE *s*élat araanage 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 2% MIN 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. LANE, STREET BACK TO FRONT ZY MIN P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE MIN ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A REARYARD MW STREET PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS LANE P.U.L æLdg. BASÉMENT/WALKOUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLIT DRAIWAGE



GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

LEGEND

FIRE HYDRANT

TRANSFORMER

> DRIVEWAY

▲ PEDESTAL

-G- GAS

- SANITARY & WATER

POWER, TELEPHONE
& CABLE SERVICE
STREET LIGHT
COMMUNITY MAILBOX

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = LOWEST ELEVATION = 1030.59	2.14	CIVIC ADDRESS: 2 KEOWN CLOSE LOT: 48 BLOCK: 4 PLAN DEVELOPER: RICHARDSON BROTHERS	No.: 141 3182 SCALE: 1:500
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = 1029.74 STORM AT 5.0m INSIDE LOT = N/A		DRAWN BY: STANTEC CONSULTING LTD APPROVED BY: BARRY MASON RECEIVED BY:	DATE: FEB 2, 2015 DATE: FEB 3, 2015 DATE:
DESIGN LANDSCAPE ELEVATIONS	I CERTIFY THAT	THE FINAL LANDSCAPE GRADE WILL BE (FRON	T)

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE = 1033.00

ELEV. AT REAR OF HOUSE = 1033.34

SIGNATURE OF OWNER OR REPRESENTATIVE

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 21 MIN BLOG, 22 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A MIN STREET PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS BLÆG. BASEMENT WALKOUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLYT ZYRAYNAGE 3.50m EASEMENT (PLAN 141 3183) -1.50m BLVD -1.50m RLLD MONOWALK 50 1034.64 SAN &-WAT **SERVICE** LEGEND — SANITARY & WATER - 30.17 — FIRE HYDRANT **1**1034.24_ -G- GAS POWER, TELEPHONE & CABLE SERVICE WINTER DRIVE STREET LIGHT COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. 2 WIGHAM CLOSE CIVIC ADDRESS: TOP OF FOOTING: LOT: ___49 ___ BLOCK: _ 4 PLAN No.: 141 3182 MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.55 LOWEST ELEVATION = 1032.45 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1031.60 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE: I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) DESIGN LANDSCAPE ELEVATIONS 1034.18 ELEV. AT FRONT OF HOUSE =__

ELEV. AT REAR OF HOUSE = 1034.55

(REAR) SIGNATURE OF OWNER OR REPRESENTATIVE

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 21 MIN BLOG, 22 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A MIN STREET PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS BLÆG. BASEMENT WALKOUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLYT ZYRAYNAGE 3.50m EASEMENT (PLAN 141 3183) -1.50m BLVD -1.50m RLLD MONOWALK 51 1034.78 1034.08 90 SAN &-6 50 WAT 90 **SERVICE** 18. LEGEND — SANITARY & WATER 1034.64 FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE 49 T STREET LIGHT COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 4 WIGHAM CLOSE TOP OF FOOTING: LOT: ___50 ___ BLOCK: _ 4 PLAN No.: 141 3182 MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.49 LOWEST ELEVATION = 1032.52 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1031.67 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE = 1034.32

ELEV. AT REAR OF HOUSE = 1034.69

SIGNATURE OF OWNER OR REPRESENTATIVE

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 21 MIN BLOG, 22 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A MIN STREET PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS BLÆG. BASEMENT WALKOUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLYT ZYRAYNAGE 3.50m EASEMENT (PLAN 141 3183) -1.50m BLVD -1.50m RLLD MONOWALK 52 1034.92 35.00 -WIGHAM CLOSE ω, 51 SAN &-WAT 6. **SERVICE** LEGEND — SANITARY & WATER 1034.78 FIRE HYDRANT 1034.08 -G- GAS POWER, TELEPHONE & CABLE SERVICE STREET LIGHT COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 6 WIGHAM CLOSE TOP OF FOOTING: LOT: ___51 __ BLOCK: _ 4 PLAN No.: 141 3182 MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.47 LOWEST ELEVATION = 1032.68 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1031.83 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE = 1034.46

ELEV. AT REAR OF HOUSE = 1034.83

I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT)

(REAR)

SIGNATURE OF OWNER OR REPRESENTATIVE

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 27 MIN BLOG, 27 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A MIN STREET PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS BLÆG. BASEMENT WALKOUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLYT ZYRAYNAGE 3.50m EASEMENT (PLAN 141 3183) -1.50m BLVD -1.50m RLLD MONOWALK 53 1035.05 1034.35 - 35.05 -WIGHAM CLOSE 28 52 SAN &-00 10. WAT 5. **SERVICE** LEGEND — SANITARY & WATER 1034.92 ø. FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE T STREET LIGHT COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 8 WIGHAM CLOSE TOP OF FOOTING: LOT: ___52 __ BLOCK: _ 4 PLAN No.: 141 3182 MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.56 LOWEST ELEVATION = 1032.73 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1031.88 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE = 1034.59

ELEV. AT REAR OF HOUSE = 1034.96


SIGNATURE OF OWNER OR REPRESENTATIVE

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLOG EX MIN STREET *s*élat aramagé 5% MIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE 3 m ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m Z'/ MIN LANE, ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. STREET BLDG. BACK TO FRONT P.U.L. or M.R. MIN THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A MIN STREET PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS BLØG. BASEMENT WALKOU NO RESPONSIBILITY FOR ITS ACCURACY. SPLYT ZYRAYNAGE 54 1035.18 34.95 20.21 53 SAN &-99 WAT 13. **SERVICE** LEGEND

— SANITARY & WATER FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE 🍎 STREET LIGHT COMMUNITY MAILBOX TRANSFORMER

▲ PEDESTAL

> DRIVEWAY



GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

AS-BUILT SEWER INVERT ELEVATIONS:	TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK =1.54 LOWEST ELEVATION =1032.88	CIVIC ADDRESS: 10 WIGHAM CLOSE LOT: 53 BLOCK: 4 PLAN No.: 141 3182 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500
	SANITARY AT 5.0m INSIDE LOT = 1032.03	APPROVED BY: BARRY MASON DATE: FEB 3, 2015

DESIGN LANDSCAPE ELEVATIONS 1034.72 ELEV. AT FRONT OF HOUSE =_ 1035.09 ELEV. AT REAR OF HOUSE =_

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES BLOG EZ MIN STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE *s*élat aramagé 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE 3 m ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m Z'/ MIN LANE, ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. STREET BLDG BACK TO FRONT P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A MIN STREET PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS BLØG. BASEMENT WALKOU NO RESPONSIBILITY FOR ITS ACCURACY. SPLYT ZYRAYNAGE 55 1035.29 17.07 54 SAN & WIGHAM CLOSE WAT 17 **SERVICE** LEGEND 1035.18 — SANITARY & WATER FIRE HYDRANT -G- GAS POWER, TELEPHONE & CABLE SERVICE 53 🍎 STREET LIGHT COMMUNITY MAILBOX TRANSFORMER -1.50m RLLD MONOWALK -1.50m BLVD ▲ PEDESTAL 3.50m EASEMENT

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

DRIVEWAY

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK =1.59 LOWEST ELEVATION =1032.95	CIVIC ADDRESS: 12 WIGHAM CLOSE LOT: 54 BLOCK: 4 PLAN DEVELOPER: RICHARDSON BROTHERS	No.: 141 3182 SCALE: 1:500
AS-BUILT SEWER INVERT FLEVATIONS:	DRAWN BY: STANTEC CONSULTING LTD	DATE: <u>FEB 2, 2015</u>
SANITARY AT 5.0m INSIDE LOT = 1032.10	APPROVED BY: BARRY MASON	DATE: FEB 3, 2015
STORM AT 5.0m INSIDE LOT = N/A	RECEIVED BY:	DATE:
DESIGN LANDSCADE ELEVATIONS I CEDITEV THAT	THE EINAL LANDSCADE CDADE VILL DE (EDDN	T.\

(PLAN 141 3183)

DESIGN LANDSCAPE ELEVATIONS

ELEV. AT FRONT OF HOUSE = 1034.81

ELEV. AT REAR OF HOUSE = 1035.23

SIGNATURE OF OWNER OR REPRESENTATIVE

BUILDING GRADE CERTIFICATE Town of Issued by: Town of Olds WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES LANE, P.U.L. or M.R. 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 21 MIN BLOG, 22 MIN STREET *s*élat aramagé SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m 27 MIN STREET BACK TO FRONT 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A MIN STREET PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS BLÆG. BASEMENT WALKOUT NO RESPONSIBILITY FOR ITS ACCURACY. SPLYT ZYRAYNAGE 56 SAN &-WAT **SERVICE** \mathcal{C} LEGEND 1035.29 — SANITARY & WATER 1034.60 FIRE HYDRANT -G- GAS 54 POWER, TELEPHONE & CABLE SERVICE T STREET LIGHT COMMUNITY MAILBOX TRANSFORMER └─ 1.50m RLLD MONOWALK -1.50m BLVD ▲ PEDESTAL *– 3.50m EASEMENT* > DRIVEWAY (PLAN 141 3183) GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. 14 WIGHAM CLOSE CIVIC ADDRESS: TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.43 LOT: 55 BLOCK: 4 PLAN No.: 141 3182 LOWEST ELEVATION = 1033.22 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1032.37 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.89
ELEV. AT REAR OF HOUSE = 1035.39

I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) (REAR) (REAR)

BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE BLOG, 2: MIN STREET *s*élat araanage 5% WIN SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE 3 m ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 2m Z'/ MIN LANE, ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. STREET BACK TO FRONT BLDG P.U.L. or M.R. 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE DRAINAGE Min ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A P.L. REARYARD LANE, P.U.L. or M.R. PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS 2% MIN STREET BLDG BASEMENT WALKOUT NO RESPONSIBILITY FOR ITS ACCURACY. 5% WIN SPLIT DRAINAGE 42 41 16.34 2.44 30.99 57 56

LEGEND

— SANITARY & WATER

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

PEDESTAL

☐

☐

DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING:	CIVIC ADDRES:	S:16_\
MAX. DEPTH BELOW AVERAGE SIDEWALK =1.57	LOT:56	BLOCK:
LOWEST ELEVATION = 1033.15	DEVELOPER:	RICHARDSON
AS-BUILT SEWER INVERT ELEVATIONS:	DRAWN BY:	STANTEC CON
SANITARY AT 5.0m INSIDE LOT = 10.32.30	APPROVED BY:	BARR'
STORM AT 5.0m INSIDE LOT = N/A	RECEIVED BY:	
	I	

CIVIC ADDRESS	S: 16 WIGHAM CLOSE	
LOT:56	BLOCK:4 PLAN	No <u>:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.98
ELEV. AT REAR OF HOUSE =	1034.08

BUILDING GRADE CERTIFICATE Town of Issued by: Town of Olds LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 21 MIN BLOG 27 MIN STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 84LYT ZIRAZNAGE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. Kstréej /BARK /TO /FRINT 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ZORAZNAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A P.L. REARYARD LANE, P.U.L. or M.R. PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS STREET BASEMENT WALKOUT BLDG. NO RESPONSIBILITY FOR ITS ACCURACY. 5% WIN SPLIT DRAINAGE 42 41 40 34.03 2.16 56 SAN &-58 WAT **SERVICE** LEGEND — SANITARY & WATER 11.58 FIRE HYDRANT -G- GAS 3.50m EASEMENT POWER, TELEPHONE & CABLE SERVICE (PLAN 141 3183) CLOSE -1.50m BLVD T STREET LIGHT -1.50m RLLD MONOWALK COMMUNITY MAILBOX TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 18 WIGHAM CLOSE TOP OF FOOTING: LOT: ___57 __ BLOCK: _ 4 PLAN No.: 141 3182 MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.60 LOWEST ELEVATION = 1033.15 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1032.30 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE: I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) DESIGN LANDSCAPE ELEVATIONS 1034.96 ELEV. AT FRONT OF HOUSE =__

ELEV. AT REAR OF HOUSE = 1034.08

(REAR)_ SIGNATURE OF OWNER OR REPRESENTATIVE


BUILDING GRADE CERTIFICATE Town of Olds Issued by: LANE, WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES 21 MIN BLOG 27 MIN STREET 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE 84LYT ZIRAZNAGE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL. 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL. Kstréej BARK 70 FRDNT 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ZORAZNAGE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER. 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A REARYARD LANE, P.U.L. or M.R. PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS STREET BASEMENT WALKOUT BLDG. NO RESPONSIBILITY FOR ITS ACCURACY. 5% WIN SPLIT DRAINAGE 41 40 32.04 1032.87 58 SAN & WATLEGEND **SERVICE** — SANITARY & WATER FIRE HYDRANT 59 -G- GAS POWER, TELEPHONE & CABLE SERVICE 3.50m EASEMENT STREET LIGHT (PLAN 141 3183) COMMUNITY MAILBOX 1.50m BLVD -1.50m RLLD MONOWALK TRANSFORMER ▲ PEDESTAL > DRIVEWAY GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE. CIVIC ADDRESS: 17 WIGHAM CLOSE TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.59 LOT: 58 BLOCK: 4 PLAN No.: 141 3182 LOWEST ELEVATION = 1033.15 DEVELOPER: RICHARDSON BROTHERS SCALE: 1:500 DRAWN BY: STANTEC CONSULTING LTD DATE: FEB 2, 2015 AS-BUILT SEWER INVERT ELEVATIONS: APPROVED BY: BARRY MASON DATE: FEB 3, 2015 SANITARY AT 5.0m INSIDE LOT = 1032.30 STORM AT 5.0m INSIDE LOT = N/A RECEIVED BY: DATE:

DESIGN LANDSCAPE ELEVATIONS ELEV. AT FRONT OF HOUSE = $\frac{1034.96}{1033.76}$ I CERTIFY THAT THE FINAL LANDS SIGNATURE OF OWNER OR REPRESE


I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) (REAR) (REAR) (REAR)

Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.53 LOWEST ELEVATION = 1033.15	_
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = 1032.30 STORM AT 5.0m INSIDE LOT = N/A	-

CIVIC ADDRES:	S: 15 WIGHAM CLOSE	
LOT:59	BLOCK:4 PLAN	No <u>:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015_
RECEIVED BY:		DATE:


DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.95
ELEV. AT REAR OF HOUSE =	1034.79

DRIVEWAY

I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) (REAR) (REAR) (REAR)


Town of Olds
Issued by: No.

- . WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.





SPŁIT/DRAINAGE



LEGEND

- SANITARY & WATER



POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

PEDESTAL

_____> DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.


TOP OF FOOTING:	
MAX. DEPTH BELOW AVERAGE SIDEWA	ALK = 1.46
LOWEST ELEVATION =1033.11	
AS-BUILT SEWER INVERT ELEVATIONS:	
SANITARY AT 5.0m INSIDE LOT =	1032.26
STORM AT 5.0m INSIDE LOT =	N/A

CIVIC ADDRESS	S: 13 WIGHAM CLOSE	
LOT: 60	BLOCK:4 PLAN	No <u>:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:


DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.84
ELEV. AT REAR OF HOUSE = 1035.08

Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







LEGEND

— SANITARY & WATER

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

PEDESTAL

____> DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING:	
MAX. DEPTH BELOW AVERAGE SIDEWA	ALK =1.57
LOWEST ELEVATION = 1032.85	_
AS-BUILT SEWER INVERT ELEVATIONS:	
SANITARY AT 5.0m INSIDE LOT =	1032.00
STORM AT 5.0m INSIDE LOT =	N/A


CIVIC ADDRESS	S: 11 WIGHAM	CLOSE	
LOT: <u>62</u>	BLOCK:4	_ PLAN	No <u>.: 141 3182 </u>
DEVELOPER:	RICHARDSON BROTH	HERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTIN	G LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASO	N	DATE: FEB 3, 2015
RECEIVED BY:			DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.72
ELEV. AT REAR OF HOUSE =	1035.17


I CERTIFY TH	AT THE	FINAL LA	ANDSCAPE	GRADE	WILL	ΒE	(FRONT)	
						(F	REAR)	
SIGNATURE OF	- DWNER	OR REPR	RESENTATI	VE _				

Town of Olds Issued by:

- WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION =1032.73	LK = <u>1.56</u>
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1031.88 N/A

CIVIC ADDRES:	S: 9 WIGH	AM CLOSE	
LOT: 63	BLOCK:4	PLAN	No <u>:</u> 141 3182
DEVELOPER:	RICHARDSON BE	ROTHERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSU	LTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY M	ASON	DATE: FEB 3, 2015
RECEIVED BY:			DATE:


DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.60
ELEV. AT REAR OF HOUSE =	1035.17

-G- GAS


COMMUNITY MAILBOX TRANSFORMER PEDESTAL DRIVEWAY

Town of Olds Issued by:

- WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







LEGEND – SANITARY & WATER

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

🍎 STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

PEDESTAL

DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING:	
MAX. DEPTH BELOW AVERAGE SIDEWA	ALK = 1.48
LOWEST ELEVATION =1032.68	
AS-BUILT SEWER INVERT ELEVATIONS:	
SANITARY AT 5.0m INSIDE LOT =	1031.83
STORM AT 5.0m INSIDE LOT =	N/A


CIVIC ADDRESS	S: 7 WIGHAM CLOSE	
LOT: 64	BLOCK: 4 PLAN	No <u>: 141 3182</u>
DEVELOPER:	RICHARDSON BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.86
ELEV. AT REAR OF HOUSE =	1034.89


I CERTIFY THAT THE FINAL LANDSCAPE GRADE	E WILL BE (FRONT <u>)</u>
	(REAR)
SIGNATURE OF OWNER OR REPRESENTATIVE	

Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







LEGEND — SANITARY & WATER

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

PEDESTAL

T DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.


TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWAL LOWEST ELEVATION =1032.53	_K =1.50
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1031.68 N/A

CIVIC ADDRES:	S: 5 WIGHAM CLOSE	
LOT:65	BLOCK: 4 PLAN	No <u>:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	_DATE: FEB 3, 2015
RECEIVED BY:		DATE:


DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.33
ELEV. AT REAR OF HOUSE = 1034.54

Town of Olds Issued by:

- WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







COMMUNITY MAILBOX TRANSFORMER

LEGEND

PEDESTAL

-G- GAS

DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.


TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 1.35 LOWEST ELEVATION = 1032.47	-
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = 1031.62 STORM AT 5.0m INSIDE LOT = N/A	-

CIVIC ADDRES:	S: 3 WIGHAM CLOSE	
LOT:66	BLOCK:4 PLAN	No <u>: 141 3182</u>
DEVELOPER:	RICHARDSON BROTHERS	SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.20
ELEV. AT REAR OF HOUSE =	1034.19


Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.





57TH STREET



LEGEND

- SANITARY & WATER



-G- GAS

POWER, TELEPHONE & CABLE SERVICE

T STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

▲ PEDESTAL

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION =1030.46	LK = <u>3.36</u>
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1029.61
21 FRI AL S'OW INZIDE FOL =	N/A


CIVIC ADDRES:	S: 6603 57TH STREET	
LOT:14	BLOCK:5 PLAN	No <u>: 141 3182</u>
DEVELOPER:	RICHARDSON BROTHERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.27
ELEV. AT REAR OF HOUSE =	1034.55


I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) (REAR) (REAR) SIGNATURE OF OWNER OR REPRESENTATIVE

Town of Olds Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







LEGEND

- SANITARY & WATER

FIRE HYDRANT

-G- GAS

POWER, TELEPHONE & CABLE SERVICE

T STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

▲ PEDESTAL

→ DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.


TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION =1030.46	ALK =3.64
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1029.61 N/A

CIVIC ADDRES:	S: 6607 57TH STREET	
LOT:15	BLOCK:5 PLAN	No <u>.:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:


DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1034.41
ELEV. AT REAR OF HOUSE = 1034.78

Town of Olds Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







LEGEND

— SANITARY & WATER



-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

▲ PEDESTAL

→ DRIVEWAY

Output

Description

Descr

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING:	N
MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION = 1030.46	ALK =3.78
AS-BUILT SEWER INVERT ELEVATIONS:	
SANITARY AT 5.0m INSIDE LOT =	1029.61
STORM AT 5.0m INSIDE LOT =	N/A


CIVIC ADDRES:	S:6611_57TH_STREE	.T
LOT:16	BLOCK:5 PLA	AN No <u>.: 141 3182 </u>
DEVELOPER:	RICHARDSON BROTHERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.54
ELEV. AT REAR OF HOUSE =	1035.01


I CERTIFY THAT THE FINAL LANDSCAPE GRADE WILL BE (FRONT) (REAR) (REAR) SIGNATURE OF OWNER OR REPRESENTATIVE

Town of Olds Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION =1030.46	LK = <u>3.91</u>
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1029.61 N/A

CIVIC ADDRES:	S: 6615	57TH STREET	
LOT:17	BLOCK:5	D PLAN	No <u>: 141 3182</u>
DEVELOPER:	RICHARDSON	BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONS	SULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY	MASON	DATE: FEB 3, 2015
RECEIVED BY:			DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.67
ELEV. AT REAR OF HOUSE =	1035.24

LEGEND

— SANITARY & WATER

→ FIRE HYDRANT

POWER, TELEPHONE & CABLE SERVICE


COMMUNITY MAILBOX
TRANSFORMER
PEDESTAL
DRIVEWAY

T STREET LIGHT


-G- GAS

Town of Olds
Issued by: No.

- . WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.







GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK LOWEST ELEVATION =1030.46	4.04
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1029.61 N/A

CIVIC ADDRES:	S: 6619 57TH STREE	.T
LOT:18	BLOCK:5 PLA	AN No <u>: 141 3182</u>
DEVELOPER:	RICHARDSON BROTHERS	SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.80
ELEV. AT REAR OF HOUSE =	1035.33

LEGEND

— SANITARY & WATER

→ FIRE HYDRANT

POWER, TELEPHONE & CABLE SERVICE

COMMUNITY MAILBOX
TRANSFORMER
PEDESTAL
DRIVEWAY


T STREET LIGHT


-G- GAS

Town of Olds Issued by: No.


1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.

- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.









LEGEND

- SANITARY & WATER

FIRE HYDRANT

-G- GAS

→ POWER, TELEPHONE
& CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

▲ PEDESTAL

☐
DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWALK = 4.18 LOWEST ELEVATION = 1030.46	-
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = 1029.61 STORM AT 5.0m INSIDE LOT = N/A	-

CIVIC ADDRES:	S: 6623 57TH STREET	
LOT:19	BLOCK:5 PLAN	No <u>.: 141 3182 </u>
DEVELOPER:	RICHARDSON BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	_DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	_DATE: FEB 3, 2015
RECEIVED BY:		DATE:


DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1034.96
ELEV. AT REAR OF HOUSE =	1035.43


I CERTIFY THAT THE FINAL LANDSCAPE GRADE	WILL BE (FRONT)
	(REAR)
SIGNATURE OF OWNER OR REPRESENTATIVE	

Town of Olds
Issued by: No.


. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.

- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.









LEGEND

- SANITARY & WATER



-G- GAS

POWER, TELEPHONE & CABLE SERVICE

STREET LIGHT

COMMUNITY MAILBOX

TRANSFORMER

▲ PEDESTAL

☐
➤ DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.


TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION = 1030.46	ALK =4.33
LUWEST ELEVATION =	_
AS-BUILT SEWER INVERT ELEVATIONS:	
SANITARY AT 5.0m INSIDE LOT =	1029.61
STORM AT 5.0m INSIDE LOT =	N/A

CIVIC ADDRES	S: 6627 57TH STREET	
LOT:20	BLOCK:5 PLAN	No <u>:</u> 141 3182
DEVELOPER:	RICHARDSON BROTHERS	_SCALE:1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS
ELEV. AT FRONT OF HOUSE = 1035.09
ELEV. AT REAR OF HOUSE = 1035.52


Town of Olds
Issued by: No.

- 1. WHEN EXCAVATING IN A RIGHT OF WAY (EASEMENT), CHECK FOR UTILITIES.
- 2. STANDING AT THE WATER SHUTDFF AND FACING THE BUILDING, THE SANITARY SERVICE (PAINTED RED) IS ON THE LEFT SIDE OF THE WATER SERVICE
- 3. ALL DIMENSIONS ARE IN METRES AND DECIMALS THERE OF. THE ELEVATIONS ARE IN METRES ABOVE GEODETIC MEAN SEA LEVEL.
- 4. ELEVATIONS NOTED ON THE CERTIFICATE ARE WITHIN 100mm OF ACTUAL.
- 5. THE BUILDER MUST CONSTRUCT WITHIN 100mm OF THE DESIGN LANDSCAPE ELEVATION & ILLUSTRATED DRAINAGE PATTERNS UNLESS OTHERWISE APPROVED BY THE DEVELOPMENT OFFICER.
- 6. IF THE INFORMATION ON THIS CERTIFICATE HAS BEEN PREPARED BY A PRIVATE DEVELOPER OR THEIR AGENT, THE TOWN OF OLDS ACCEPTS NO RESPONSIBILITY FOR ITS ACCURACY.





57TH STREET



LEGEND

— SANITARY & WATER



POWER, TELEPHONE & CABLE SERVICE



COMMUNITY MAILBOX

TRANSFORMER

▲ PEDESTAL

⇒ DRIVEWAY

GAS AND POWER SERVICE LOCATION IS 1.00m FROM SIDEYARD LOTLINE. SANITARY & WATER SERVICE LOCATION IS 4.50m FROM SIDEYARD LOTLINE.

TOP OF FOOTING: MAX. DEPTH BELOW AVERAGE SIDEWA LOWEST ELEVATION = 1030.46	ALK =4.49
AS-BUILT SEWER INVERT ELEVATIONS: SANITARY AT 5.0m INSIDE LOT = STORM AT 5.0m INSIDE LOT =	1029.61 N/A

CIVIC ADDRES:	S: 6631 57TH STREET	
LOT:21	BLOCK:5 PLAN	No <u>.: 141 3182</u>
DEVELOPER:	RICHARDSON BROTHERS	SCALE: 1:500
DRAWN BY:	STANTEC CONSULTING LTD	DATE: FEB 2, 2015
APPROVED BY:	BARRY MASON	DATE: FEB 3, 2015
RECEIVED BY:		DATE:

DESIGN LANDSCAPE ELEVATIONS	
ELEV. AT FRONT OF HOUSE =	1035.28
ELEV. AT REAR OF HOUSE =	1035.62

I CERTIFY THAT THE FINAL LANDSCAPE GRADE	WILL BE (FRONT)
	(REAR)
SIGNATURE OF OWNER OR REPRESENTATIVE	